



PISTOL FLASHLIGHT / LASER USER MANUAL

English / Français / Español / Deutsch

VICTORY JUSTIFIES EVERYTHING

Whether you are in a fast-paced combat situation or defending yourself and your home, Firefield™ will be by your side, preparing you for victory. Firefield™ offers quality products with outdoor enthusiasts and paintball fanatics in mind. Whether your weapon of choice is paintball, airsoft, AR 15, shotgun or pistol, Firefield™ can accommodate your preference. Firefield™ will provide you with high quality and durability for a fraction of competitor pricing. Firefield™ products consist of boresights, flashlights, laser sights, reflex sights, rails, mounts, magazines, binoculars and other shooting accessories.



www.fire-field.com

Pistol Flashlight / Laser 1-5

English



Features:

- Lightweight/Compact Design
- 120 Lumen Brightness
- Easy-Access Slide Switch
- Bright Green Laser

Technical Specifications:

| | | | |
|-------------------|------------|---|-------------------|
| Bulb type | White LED | Laser Power | <5mW |
| Output Power | 120 Lumens | Laser wavelength | 532nm |
| Battery life | 20 hours | Laser type | Visible green dot |
| Battery type | 1 xCR123A | Dot size | 20mm @ 50m |
| Waterproof Rating | IPX4 | Fits Pistols and Rifles with weaver or picatinny rails. | |
| Weight | 2.5oz | | |
| Length | 78mm | | |

DIAGRAM

1. Bulb assembly
2. Flashlight body
3. On/off switch
4. Weapons mount
5. Green laser attachment



BATTERY INSTALLATION

The Firefield pistol flashlight uses 1 CR-123A battery (included).

To insert or remove the battery:

- 1) Rotate the bulb assembly (1) counter clockwise until it separates from the flashlight body (2).
- 2) Insert the CR123A battery into the flashlight body (2) with the negative end first.
- 3) Replace the bulb assembly (1) into the flashlight body (2). To tighten, rotate the bulb assembly clockwise until fixed firmly. Do not over tighten.

SWITCH OPERATION

Slide switch:

- 1) To turn the flashlight on, press the slide switch to the right.
- 2) To turn the flashlight off, press the slide switch to the left.



MOUNTING

- 1) Using the Allen wrench, loosen the mounting bolt on the weapons mount (4).
- 2) Position the flashlight onto your firearm's mount and tighten the mounting bolt.

INSTALLING THE GREEN LASER

- 1) Remove the bulb assembly (1) from the flashlight body. (2)
- 2) Attach the green laser attachment (5) by rotating clockwise until fixed firmly. **DO NOT** over tighten.



OPERATING THE GREEN LASER

To turn the laser on, press the slide switch to the left. To turn off press the slide switch to the right.

SIGHTING IN THE GREEN LASER

In order to sight in the laser with the firearm:

- 1) Follow all safety precautions during firearm operation. Fire five rounds at a target to determine point of impact.
- 2) Using the provided allen wrench, adjust the laser's windage and elevation adjustments to the bullet's point of impact

STORAGE

Make sure that your Firefield pistol flashlight is turned off and securely attached to your firearm before storing.

MAINTAINANCE

The flashlight may be cleaned using a soft cloth and water, or a gun cleaning solvent when the product has been exposed to dirt, dust, or residue. Clean the lens using a soft cloth dipped in water or denatured alcohol. Maintain threads and O-rings by applying silicon based grease. No maintenance of the laser itself is required. In order to clean the lens, use a lens cloth or a small q-tip.

WARNING

Before handling the Firefield pistol flashlight, read and understand the contents of your firearm's manual. Follow all standard safety precautions and procedures during firearm operation.

-
- NEVER point the flashlight directly at, or into, an eye. This may cause damage to the eye, or blindness. The flashlights produce enough light to identify an individual without direct illumination to the face.
 - Avoid looking directly into the flashlight's beam.
 - Avoid shining the flashlight into mirrors or other reflective surfaces.
 - Avoid hitting or dropping the unit.
 - ALWAYS check that the chamber of your weapon is clear before mounting or dismounting the flashlight.
 - ALWAYS remove the flashlight when cleaning, or performing other maintenance, on your firearm.
 - The flashlight should be tested during periods of non-use to make sure it is still operating properly.
 - NEVER place the flashlight bulb side down on a surface while it is turned on. The bulb generates heat that can damage the unit or the surface it is on.
 - NEVER point the laser directly at or into an eye. This may cause damage to the eye, or blindness.
 - NEVER allow children to use or handle this product
 - CAUTION: Use of controls or adjustments or performance of procedures other than those specified herein may result in hazardous radiation exposure.

Failure to follow standard firearm safety precautions and procedures, as well as the above warnings, is dangerous and may result in serious injury, damage to property, or death.

FIREFIELD LIMITED 3 YEAR WARRANTY

Please visit www.fire-field for warranty information and details.



Distributed By: Sellmark Corporation
2201 Heritage Parkway
Mansfield, TX 76063



www.fire-field.com